


1








Assembly requires two adults.

We suggest to place the table upside down on a blanket to protect it from scratching.

Unlock locking clips

2

HARDWARE			QUANTITY
A	BOLT Φ 10 x 80		12
B	WASHER Φ 11 x 26 x 1.8		12
C	RING SPANNER K17 x 25 x 135		2
C	RING SPANNER K17 x 25 x 135		1



Attach the legs using bolt (A) and washer (B)

Table legs are self adjusting moving the leg up or down the elongated bolt hole in the table top corner block.


It is best to completely tighten each bolt when the table is assembled in the upright position.

Tighten all bolts by using ring spanner (D), do not use power tool

©


RECLAIMED is the trading brand of PLANTATION GROWN TIMBERS (INTERNATIONAL) LTD who is the owner of this assembly instruction. No person or organization is permitted to reproduce or modify under any circumstances wherever and however displayed without written permission.

3



Carefully turn the table over on to its feet, and fully tighten all bolts.

4




Open the table top
Remove the leaf holders

©


RECLAIMED is the trading brand of **PLANTATION GROWN TIMBERS (INTERNATIONAL) LTD** who is the owner of this assembly instruction. No person or organization is permitted to reproduce or modify under any circumstances wherever and however displayed without written permission.

5



Fully open the leaf and close table top.

6



Lock locking clips

©

— FINISH —

RECLAIMED® is the trading brand of PLANTATION GROWN TIMBERS (INTERNATIONAL) LTD who is the owner of this assembly instruction. No person or organization is permitted to reproduce or modify under any circumstances wherever and however displayed without written permission.