



Technical Report: (9619) 109-0595
Date Received: APRIL 19, 2019

APRIL 27, 2019
Page 1 of 4

PGT-RECLAIMED (VIETNAM) CO.LTD
NUMBER 9, ROAD 10, SONG THAN 1 INDUSTRIAL PARK, DI AN DISTRICT, BINH DUONG PROVINCE, VIETNAM

Sample Description:	BED	Sample Size:	01 PC
Vendor:	PGT-RECLAIMED (VIETNAM) CO.LTD	VPN:	/
Manufacturer:	/	SKN/SKU No.:	/
Buyer:	/	PO No.:	/
Agent:	/	Ref #:	/
Labeled Age Grade:	/	Country of Origin:	/
Appropriate Age Grade:	/	Assortment No.:	/
Client Specified Age Grade:	/	Department No.:	/
Tested Age Grade:	/	ITEM#:	VALB001/Q/L/RBS/LSK
UPC Code:	/	Date of Production:	/
Phase of Production:	PRODUCTION	Model/Style#:	/
Color:	/	Country of Destination:	/
Program:	/		
Previous No:	N/A		

TEST:

- Distributed Load Capacity
- Impact Durability

EXECUTIVE SUMMARY:

The sample(s) MEETS the following requirement(s):

- The requirement of In-house method / CPSD-HL-01030-MTHD (Mod.), Distributed Load Capacity.
- The requirement of CPSD-HL-01019-MTHD (Mod.), Impact Durability.



PGT-RECLAIMED (VIETNAM) CO.LTD
Technical Report: **(9619) 109-0595**
APRIL 27, 2019
Page 2 of 4

If there is any question regarding this report, please contact the following lab personnel:

Administrative inquiries, please contact:

Primary Contact: Elise Vo, Tel: 84-028-37421-604 ~ 6, Ext: 394; email: elise.vo@vn.bureauveritas.com
Back-up Contact: Angelina Hong, Tel: 84-028-37421-604 ~ 6, Ext: 868; email: angelina.hong@vn.bureauveritas.com

Technical inquiries, please contact:

Primary Contact: Terry Nguyen, Tel: 84-028-37421-604 ~ 6, Ext: 313; email: terry.nguyen@vn.bureauveritas.com
Back-up Contact: Ron Nguyen, Tel: 84-028-37421-604 ~ 6, Ext: 313; email: ron.nguyen@vn.bureauveritas.com

BUREAU VERITAS CONSUMER PRODUCTS SERVICES (VN) LTD.

TERRY NGUYEN
AUTHORIZED REPORT APPROVER – HARDLINE, TOYS & JUVENILE PRODUCTS DIVISION



RESULT(S):

Evaluation	Citation / Method	No. of Samples	Criteria	Results	Rating
Distributed Load Capacity	In-house method / CPSD-HL-01030-MTHD (Mod.)	1	Apply the load gradually on top of the slats. The load stays for 24 hours. Load Specification per Type of Bed - Single, Twin – 500 lb. - Full – 700 lb. - Queen/King – 800 lb	M	PASS
* Impact Durability	CPSD-HL-01019-MTHD (Mod.)	1	No structural breakage after a free fall drop of a test load of 225 lb from a 6.0 inch height. Record and report any dimensional change after testing. For beds, apply the center of the impact test load at the follow three locations: <ul style="list-style-type: none"> • The center of sleep area • One drop on the center of <i>each</i> length of the bed, six inches in from edge of sleep area. 	M	PASS

Results Key:

M	Meets	NM	Does Not Meet
NA	Not Applicable	NT	Not Tested
C	Claimed	R	Recorded

